Hewle	ett Packard
Enter	

# HPE SIMPLIVITY 380 GEN10 SFF NC H NODE (R6A81A)

Hyperconverged



## WHAT'S NEW

- HPE SimpliVity 380 supports the latest 2nd Generation Intel Xeon® Scalable Processors.
- HPE SimpliVity 380 Gen10 G now supports Mixed Use SSD kits offering the ability to order either Read Intensive or Mixed Use drives.

## **OVERVIEW**

Is complexity in your data center slowing you down?

HPE SimpliVity 380 gives IT organizations the agility and economics of the cloud with the control and governance of onpremises IT. It delivers a powerhouse hyperconverged solution optimized to support the world's most efficient and resilient data centers. This solution dramatically simplifies IT by combining

- HPE SimpliVity 380 G / 380 H Platforms now support the redesigned "Network Choice" server which provides greater flexibility in the primary networking selection.
- HPE SimpliVity now supports HPE StoreOnce, for customers who need a simple, cost effective, efficient, archiving solution to centralize data, lower costs, or adhere to long term backup policies.

infrastructure and advanced data services for virtualized workloads on a single device. Delivered on HPE ProLiant DL380 servers, the HPE SimpliVity 380 is a compact, scalable, 2U rackmounted building block that consolidates server, storage, and storage networking services. By delivering a complete set of advanced functionalities, SimpliVity solutions enable dramatic improvements in the operational efficiency, management, protection, and performance of all virtualized workloads for a fraction of the cost and complexity compared to today's traditional infrastructure stack.

## FEATURES

#### **Complete Hyperconvergence in a Fully Integrated System**

The HPE SimpliVity 380 combines x86 resources, storage, and storage networking in a single hyperconverged system with advanced functionality.

Simplifies management and delivers outstanding cost efficiency and agility.

Increased visibility and control of the entire virtualized environment via unified management.

Delivers orchestrated, simultaneous deployment and upgrades so you can deploy more simply and respond to business needs faster.

Unify virtual machines and infrastructure tasks to reduce virtual machine (VM) sprawl and over-provisioning.

#### **Peak and Predictable Performance**

The HPE SimpliVity 380 delivers an all-flash solution delivering predictable and near linear performance at near-wire speeds while reducing latency.

Hardware driven in-line deduplication, compression, and optimization helps reduce I/O and network traffic while dramatically shrinking backup window requirements.

#### **On Demand Scale-in and Scale-out**

The HPE SimpliVity 380 can easily expand or contract configurations as your needs change.

Each node supports a large number of fully protected virtual machines (VMs).

A networked collection of nodes at both local and remote sites are managed as a single entity.

Flexibility to expand node storage and add a second CPU (with additional memory) to 1P nodes within the field.

Federations scale up to 96 nodes. Heterogenous federation support (clusters of HPE SimpliVity 380 Gen9/Gen10 and legacy HPE SimpliVity can be federated with clusters of HPE SimpliVity 325 Gen10 and SimpliVity 2600 Gen10).

## **Advanced Data Services**

The HPE SimpliVity 380 delivers always-on deduplication and compression to significantly reduce capacity utilization.

Built-in resiliency, backup, and disaster recovery for enterprise-grade data protection.

Policy-based, virtual machine (VM) centric management to streamline operations.

HPE SimpliVity RapidDR is a Disaster Recovery(DR) orchestration tool for HPE SimpliVity platforms to simplify, automate, and accelerate offsite DR for rapid recovery of applications.

Optional Data at Rest Encryption (DARE) support.

## **Technical specifications**

## HPE SimpliVity 380 Gen10 SFF NC H Node

Product Number (SKU)   R6A81A     Number of processors   1 or 2 Intel Xeon® Scalable Processors, depending on configuration     Cores   8 to 28 cores per processor, depending on processor selected     Memory   192 GB to 3.072 GB per node, depending on configuration     Storage   4 x 1.92 TB SSD, 20 x 1.2 TB HDD (20 TB usable)     Ports   10 Gb FLOM     Power   HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS Trainum Hot Plug Power Supply Kit HPE 800W FS Trainum Hot Plug Power Supply Kit HPE 800W FS Trainum Hot Plug Power Supply Kit HPE 800W FS Platinum Hot Plug Power Supply Kit     Form factor   HPE SimpliVity 380: 2U Node with 1 Processor or 2 Processor options     Warranty   Server Warranty includes 3-year parts, 3-year labor, 3-year onsite support with next business day response. NOTE: Warranty for SSDs is subject to maximum usage limitations, Maximum usage limit is the maximum amount of dat that can be written to the drive. Drives that have reached this limit will not be eligible for replacement.		
Cores 8 to 28 cores per processor, depending on processor selected   Memory 192 GB to 3,072 GB per node, depending on configuration   Storage 4 x 1.92 TB SSD, 20 x 12 TB HDD (20 TB usable)   Ports 10 Gb FLOM   Power HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit   Form factor HPE SimpliVity 380: 2U Node with 1 Processor or 2 Processor options   Warranty Server Warranty includes 3-year parts, 3-year labor, 3-year onsite support with next business day response. NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Product Number (SKU)	R6A81A
Memory   192 GB to 3,072 GB per node, depending on configuration     Storage   4 x 1.92 TB SSD, 20 x 1.2 TB HDD (20 TB usable)     Ports   10 Gb FLOM     Power   HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Universal Hot Plug Dower Supply Kit     Form factor   HPE SimpliVity 380: 2U Node with 1 Processor or 2 Processor options     Warranty   Server Warranty includes 3-year parts, 3-year onsite support with next business day response. NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Number of processors	1 or 2 Intel Xeon® Scalable Processors, depending on configuration
Storage 4 x 1.92 TB SSD, 20 x 1.2 TB HDD (20 TB usable)   Ports 10 Gb FLOM   Power HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Thainum Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit   Form factor HPE SimpliVity 380: 2U Node with 1 Processor or 2 Processor options   Warranty Server Warranty includes 3-year parts, 3-year onsite support with next business day response. NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Cores	8 to 28 cores per processor, depending on processor selected
Ports   10 Gb FLOM     Power   HPE 800W FS Plat Hot Plug Power Supply Kit HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit HPE 1600W FS Platinum Hot Plug LH Power Supply Kit     Form factor   HPE SimpliVity 380: 2U Node with 1 Processor or 2 Processor options     Warranty   Server Warranty includes 3-year parts, 3-year labor, 3-year onsite support with next business day response. NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Memory	192 GB to 3,072 GB per node, depending on configuration
Power   HPE 800W FS Plat Hot Plug Power Supply Kit     HPE 800W FS -48VDC Hot Plug Power Supply Kit     HPE 800W FS Titanium Hot Plug Power Supply Kit     HPE 800W FS Universal Hot Plug Power Supply Kit     HPE 1600W FS Platinum Hot Plug LH Power Supply Kit     HPE SimpliVity 380:     2U Node with 1 Processor or 2 Processor options     Warranty     Server Warranty includes 3-year parts, 3-year onsite support with next business day response.     NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Storage	4 x 1.92 TB SSD, 20 x 1.2 TB HDD (20 TB usable)
HPE 800W FS -48VDC Hot Plug Power Supply Kit     HPE 800W FS Titanium Hot Plug Power Supply Kit     HPE 800W FS Universal Hot Plug Power Supply Kit     HPE 1600W FS Platinum Hot Plug LH Power Supply Kit     Form factor   HPE SimpliVity 380: 2U Node with 1 Processor or 2 Processor options     Warranty   Server Warranty includes 3-year parts, 3-year labor, 3-year onsite support with next business day response. NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Ports	10 Gb FLOM
2U Node with 1 Processor or 2 Processor options     Warranty   Server Warranty includes 3-year parts, 3-year labor, 3-year onsite support with next business day response.     NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Power	HPE 800W FS -48VDC Hot Plug Power Supply Kit HPE 800W FS Titanium Hot Plug Power Supply Kit HPE 800W FS Universal Hot Plug Power Supply Kit
NOTE: Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for	Form factor	
	Warranty	amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for

For additional technical

information, available models and

options, please reference the

QuickSpecs

# HPE POINTNEXT

Access expertise at every step of your IT journey with <u>HPE Pointnext Services</u>. Advisory <u>Services</u> focuses on your business outcomes and goals, to design your transformation and build a roadmap tuned to your unique challenges. Our <u>Professional</u> and <u>Operational Services</u> help speed up time-to-production and keep your IT stable and reliable.

### **Operational Services from HPE Pointnext Services**

- **HPE Datacenter Care** helps modernize and simplify IT operations. Partner with an assigned account team, access technical expertise, an enhanced call experience gives you priority access, choose hardware and software support, implement proactive monitoring to help stay ahead of issues, and access HPE IT best practices and IP.
- **HPE Proactive Care** offers an enhanced call experience and helps reduce problems with personalized proactive reports and advice. This also includes collaborative software support for Independent Software Vendors (ISVs), (Red Hat, VMWare, Microsoft, etc.). Read more
- <u>HPE Foundation Care</u> helps when there is a problem and has a choice of response levels. Collaborative software support is included and provides troubleshooting help for ISVs running on your server. <u>Read more.</u>

### **Other related services**

**Defective Media Retention** is optional and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

**HPE Service Credits** offers a menu of technical services, access additional resources, and specialist skills.

**HPE Education Services** delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

# HPE GREENLAKE

<u>HPE Greenlake</u> is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like IT financing solutions, please explore them here.



Make the right purchase decision.

Contact our presales specialists.

ТЩ.	Buy now
	Share now
<b>P</b>	Get updates



© Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Intel® is a trademark of Intel Corporation in the U.S. and other countries. Xeon® is a trademark of Intel Corporation in the U.S. and other countries.

Image may differ from the actual product PSN1012987843USEN, September, 2020.