

FEP-0800 Version: 1



8-Port Fast Ethernet PoE Switch,85W

FEP-0800 is a 8-port 10/100Mbps Fast Ethernet Switch with Power over Ethernet (PoE) capability. With 8 dip switches, each PoE port can be manually set for On-Off control. FEP-0800 supports up to 30W on each LAN port when the DIP switch is in the ON position. Using a LevelOne PoE repeater, it is possible to extend the connection a further 100 meters, or even daisy-chain several PoE repeaters together for greater distances. Dual 10/100Mbps ports can connect with other edge switches or NVR as uplink ports.



- 1. LED Indicators
- 2. PoE Dip Switch
- 3. 10/100Mbps RJ-45 PoE Ports

- 4. Power Port
- 5. Wall-Mountable

Key-features

- IEEE-802.3x-Überwachung schützt vor verloren gegangenen Paketen und sorgt für zuverlässige Datenübertragung
- 10/100 Mb/s, Voll/Halb-Duplex, Auto-Negotiation, Auto-MDI/MDIX
- DIP-Schalter zur Steuerung der PoE-Aktivität aller Ports
- Gesamt-PoE-Leistung: 85 W, bis zu 30 W pro Port
- Einfache Plug-and-Play-Installation

Specifications

System Specifications

Standards & Protocols:

- IEEE 802.3 10-BASE-T, Ethernet
- IEEE 802.3u 100-BASE-TX, Fast Ethernet
- IEEE 802.3x Full-duplex Flow Control

**Pufferspeicher:**

64KB

Connectors and Cabling:

8 x 10/100Base-TX RJ-45 PoE Ports

Taster:

PoE Power On/Off Switch

Indikator:

Power, Active, 10/100M, PoE

Transmission Method:

Store-and-Forward

Power:

Power Consumption: < 90W

Power Input: 100-240V AC, 50-60 Hz, 56VDC out, External Power Supply

Features

PoE:

Power Budget: Max. 85W

Power Output: 52V DC, up to 30W per port

Protection: PoE over current & PoE circuit sorting protection,

Pin Assignment: 4/5(+), 7/8(-)

Performance

Backplane (Gbps):

1.6Gbps

MAC-Adresstabelle:

1K

Datenrate:

10/100Mbps

Weiterleitungsrate:

100Mbps port - 148,000pps

10Mbps port - 14,880pps

Environment

Temperatur (°C):

Operating: 0°C ~ 45°C

Storage: - 40°C ~ 70°C

Luftfeuchtigkeit (nicht kondensierend):

Storage: 10% ~ 90%

Operating: 10% ~ 90%

Physical Specifications

Abmessungen (W x D x H mm):

165 x 99 x 41 mm

Gewicht:

700g


Others

Zertifizierung:

FCC, CE, RoHS

Deployment:
Desktop

Diagramm



Order Information

FEP-0800

Package Contents

FEP-0800
Netzadapter
Stromkabel
Bedienungsanleitung

No liability or responsibility for any errors or omissions in the content.
Specifications are subject to change without notice.
All mentioned brand names are registered trademarks and property of their owners.
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.